Chief, Intelligence Information Staff, ORR 7 July 1:58

THRU

: Chief, Industrial Division, ORR

Chief, Guided Missile Branch, D/I

Requirements for Dnegropetrovsk Mator Vehicle Works (BAZ).

1. General location of Works

A major industrial installation located in the southwest urban area of Deepropetrovak. The installation contains several large factory-type buildings, two large coaling towers, one large chimney and is inclosed within a high masomy well giving the exterior impression of a fortress. The plant is currently sucpected of being expended and new construction includes buildings approximately 50 feet tall. The plant is bounded on the sout! east by a single track railroad which curves southward approx mately 3 nautical miles to a reverse horseshoe loop where it joins the Nikolayev line which crosses the Baciper River. Held construction, including industrial sites and multi-story dwellings, are reported to surround the plant area.

2. Location of Works by Air from Voloshkove Airfield

The plant site lies approximately 6.5 nautical miles MRW of the Volochkoye Airfield and I nautical mile ESE of the Inepropetrovsk Airfield. Assuming takeoff from Voloshkoye Airfield in a westward direction the plant can be observed of? the starboard (right side of aircraft looking forward) wing. Its location is mid-way between the southern portion of the reverse railread loop and the most westward bridge which crosses the Inciper River. If after a normal climbing takeoff from Voloshkoye the civil aircraft turns north over Dnepropetrova., the plant will lie immediately to the right of the aircraft of it passes over the railroad which approaches from the west (.eft). If after a westward takenff from Voloshkove mirfield the mir maft makes a steep climbing turn to the right (north) the plant will be visable off the port (left) wing. Aircraft departing Voloshkoye in an easterly (or south easterly direction) will negate observation of the factory site.

3. Location of Works by Air from Inepropetrovsk Airfield

Take off from Diepropetrovsk Airfield in a western or

Approved For Release 2000/08/23 WCM-RD-P62S00231A000100050064-9

SUBJECT: Requirements for Dispropetrowsk Motor Vehicle Works (DAZ).

northern direction would afford only an over the shoulder fleeting observation of the factory site which lies approximately 1 nautical mile SSE of the sirport. However, if takeoff is to the south, the plant will lie off the left wing immediately after being aixborne and as the airplane crosses the railroad line. If takeoff is to the east the plant will lie approximately 0.5 of a nautical mile off the right wing immediately after being aixborne.

4. Airborne Observation: Requirements

- (a) If opportunity to observe from close-in or overhead occurs, it is requested that plant confine be observed and production items be reported. Those items may be on railroad cars, stored in the open or be on trailer vehicles. Items may be canvas covered and only afford silhoutte views. Size, shape, and texture of items is important.
- (b) If the plant is viewed only from a distance, attempt to ascertain nature and extent of any buildings under construction; i.e., how many, how large compared to existing buildings, where hocated within plant complex, and general shape.

5. Ground Observation of Works

- (a) The plant may be viewed during sources normal travels in the SW Daspropetrovsk suburban area in pursuit of investigating agricultural and farm practices.
- (b) It has been reported that this plant is producing Belarus tractors. If flatears containing new Belarus tractors are sighted in the Despropetrovsk area, inquire of your guides as to where they have come from. If the answer is Winek, ask nothing sore, if answer should be Despropetrovsk ask to visit plant but do not press. Carefully note all reactions.
- (c) Departure from Desproperrovsk toward the Voloshkoye airfield by automobile will afford a view out the right side of the vehicle of the plant from a distance of approximately 1.5 to 2 nautical miles.

SUBJECT: Requirements for Deepropetrovsk Motor Vehicle Works (DAZ).

(d) The plant can be reached and observed by tram No. 11 (RABOCHAYA Shoese). Trams No. 10 and 13 also approach the area. Tram No. 23 possibly approaches from the east. (CAUTION: No attempt to reach the plant tree via these trams is recommended unless the opportunity should arise freely and easily. Nothing should be done to indicate any greater interest in subject plant then any other plants or facilities observed or discussed while in the Empropetrovak area.

6. Ground Observation Requirements

- (a) Current production items are requested. These items may be observed on railroad cars or motor vehicles leaving the plant site. Items observed in open storage or being transported within the plant area is requested. Size, shape, texture and quantity is important.
- (b) If the end product(s) of the plant can not be accertained an attempt should be made to acquire the nature and extent of any buildings under construction within the plant complex. Other industria installations in the immediate area of the plant and their association with the plant is desired. The type, size, location and construction of peripheral plants is required. The type, location and quantity of residential housing adjacent to the plant is of secondary interest, but also of significance.

25X1A9a

Enclosures: (For Briefing Purposes Only -- Not attached)

NIS 26-1, Pigure 25-17

25X1A2g

Distribution:

Orig & 1 - Addressee

1 - Ch/D/3

2 - I/GM

25X1A9a

ORR/D/I/GM: :ac

:acm/4291 - 3 - (7 Jul 58)

MISSING PAGE